Space Weather Technical Forecast

Issued on Saturday, 05 February 2022 at 01:12 Local

This technical forecast provides a four day assessment of space weather events. The probabilities stated below are for reaching or exceeding the given levels. For more information about space weather impacts please see the Met Office Space Weather Scales https://www.metoffice.gov.uk/weather/learn-about/space-weather/uk-scales

Space Weather Forecast Headline: Chance of M-class flares (R1/R2 Radio Blackouts) throughout. Chance of isolated G1/Minor Storm activity today (05 February).

Analysis of Space Weather Activity over past 24 hours

Solar Activity: There are currently five numbered sunspot regions. Solar activity was low, with a number of C-class flares observed. The majority of the flares were from AR2936 Ehi/Beta, a large, complex and mature region nearing the northwestern limb. The largest flare was a long duration C5 flare, peaking at 04/1551 UTC. A CME was generated from this event, and is yet to be analysed but is currently thought unlikely to be Earth directed due to is location near the northwest limb. AR2938 remains a small and simple group, but with some slight spot development. AR2939 in the southeast quadrant appears to be relatively stable, with only slight spot growth but is now classified as Cho/beta-gamma. AR2940 in the northeast quadrant, has developed further intermediate spots and remains a Eai/beta. AR2941 close to the northeast limb is currently classified as Ehi/beta, and is a potentially significant region.

Solar Wind / Geomagnetic Activity: The solar wind, as observed at L1, started the day around 570 km/s due to the influence of the CME which arrived on 01 February, peaking at 581km/s at 04/0029 UTC. The solar wind persisted at elevated levels for most of the day, only declining to slightly elevated levels through the evening, ending the day around 480 km/s. Density was mainly above average, with a peak of 25ppcc at 04/0051 UTC, although late in the day declined to average levels. Total magnetic field strength was initially weak, but after 04/0315 UTC was predominantly moderate, peaking at 12 nT at 04/0655 UTC. Bz started and ended the day weakly negative, but was moderately negative from 04/0400UTC and then for most of the rest of the day, reaching a negative peak of -10nT at 04/0856 and 1640 UTC. These observations suggest that the Earth was under the influence of the trailing magnetic cloud from the CME, with embedded structures resulting in the fluctuations of the solar wind parameters. Phi angle remained negative (towards the Sun). Geomagnetic activity was Unsettled to Active (Kp 3-4), but with G1/Minor storm (Kp 5) conditions 04/1500-2100 UTC.

Energetic Particles / Solar Radiation: The high energy proton flux (greater than 10 MeV) measured at GOES 16 was at background levels. The high energy electron flux (greater than 2MeV), started at background to moderate levels, but after 04/1140 UTC dramatically increased to breach the High 1000 pfu value between 04/1320-1850 UTC, peaking at 4014 pfu at 04/1640 UTC. The associated 24-hour electron fluence remained below the Active threshold (1e8 integrated pfu), but with an increasing trend late in day and a value of 4.32e7 integrated pfu at 05/0000 UTC.

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 330 135 4254 Email: moswoc@metoffice.gov.uk

© Crown Copyright 2022. All Rights Reserved.

Met Office Space Weather Technical Forecast

Four-Day Space Weather Forecast Summary

Solar Activity: Solar activity is expected to be mainly low, with a chance of M-class flares and a very slight chance of X-class flares.

Solar Wind / Geomagnetic Activity: Solar winds are likely to start at slightly elevated levels, but then increase through today to become elevated again as a coronal hole high speed stream (CH HSS) connects with Earth and speeds around 500-550 km/s. A further CH HSS connection with similar speeds is then expected on day 2 (6th). Activity is expected to be Unsettled to Active (Kp 3-4) today, tomorrow and day 3 (7th) but with isolated G1/Minor Storm (Kp 5) intervals likely today, reducing to a chance tomorrow and a slight chance for day 3. Day 4 (8th) activity is expected to return to Quiet to Unsettled (Kp 1-3) conditions.

Energetic Particles / Solar Radiation: The high energy (greater than 10 MeV) proton flux is forecast to be at background to moderate levels but with a slight chance of rising close to or just above the S1 level given any significant M-class flaring. High energy electron flux (greater than 2MeV) is expected to breach the High (1e3 pfu) threshold at times today, tomorrow and more frequently through day 3 (7th) then becoming predominantly High during day 4 (8th). Electron fluence is expected to remain below the Active (1e8 integrated pfu) threshold today, then increasing to breach the Active threshold either tomorrow or more likely day 3 (7th).

Figure 1. Solar Analysis Valid 04/1945 UTC.



Key: Filament ___ , Prominence ___ , Magnetic Field Line - - - , Polarity +/-, Coronal Holes: Grey shaded area CHxx +/-, Sunspot groups 25xx - Mt Wilson α-β-βγ-βγδ and Zurich-McIntosh Axx etc.

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 330 135 4254 Email: moswoc@metoffice.gov.uk

© Crown Copyright 2022. All Rights Reserved.

Met Office Space Weather Technical Forecast

Geomagnetic Storms:

A CME which left the Sun on 29 January and arrived at Earth on 01 February continues to affect the Earth, with currently slightly elevated solar wind speeds and a moderate magnetic field strength. The effects of this feature are likely to decline through today (05 February).
The high speed stream from coronal hole 49 is expected to connect with the Earth today with speeds of 500-550 km/s likely, based on persistence data and analysis of STEREO A data, which is around 2.5 days ahead of Earth. A high speed stream from coronal hole 51 is then expected to connect with the Earth tomorrow (6th February), producing similar speeds. From day 3 (7th) and especially day 4(8th) the influence of the CH HSS will decline, with solar winds reaching background to slightly elevated values by late day 4.

Activity is expected to be Unsettled to Active (Kp 3-4) today, tomorrow and day 3 (7th) but with isolated G1/Minor Storm (Kp 5) intervals likely today, reducing to a chance tomorrow and a slight chance for day 3. Day 4 (8th) activity is expected to return to Quiet to Unsettled (Kp 1-3) conditions.

Geo-Magnetic Storm Probability (Exceedance)	Level	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC) (%)	Day 2 (00-24 UTC) (%)	Day 3 (00-24 UTC) (%)	Day 4 (00-24 UTC) (%)
Minor or Moderate	G1 to G2	Yes	60	40	10	5
Strong	G3	No	1	1	1	1
Severe	G4	No	1	1	1	1
Extreme	G5	No	1	1	1	1

Radio Blackouts - X-Ray Flares:

Solar activity is expected to remain mainly low over the next four days, with a slight chance of M-class flares and a very low risk of X-class flaring.

There are four significant sunspot regions on the visible disc. AR2936 in the northwest quadrant, has become more active through the last 24-hours, following a relatively dormant period through the previous seven days, generating a long duration C5 flare yesterday. Two regions in the northwest quadrant 2940 and 2941 are classified Eai/Beta and Ehi/beta respectively and present a significant flare risk. AR2939 in the southeast quadrant appears complex but stable and carries a lower risk of M-class flares.

X Ray Flares	Level	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC)	Day 2 (00-24 UTC)	Day 3 (00-24 UTC)	Day 4 (00-24 UTC)

Issued by Met Office Space Weather Advisor, Tel: +44 (0) 330 135 4254 Email: moswoc@metoffice.gov.uk

© Crown Copyright 2022. All Rights Reserved.

Probability			(%)	(%)	(%)	(%)
Active	R1-R2 M Class	No	30	30	30	30
Very Active	R3 to R5 X Class	No	5	5	5	5

Figure 2:SDO AIA intensitygram (left) and SDO AIA magnetogram (right) showing AR2941 (top) and AR2936 (bottom).



Issued by Met Office Space Weather Advisor, Tel: +44 (0) 330 135 4254 Email: moswoc@metoffice.gov.uk

© Crown Copyright 2022. All Rights Reserved.

Solar Radiation Storms - (High Energy Protons):

The high energy proton flux, as measured by GOES-16 is at background levels. Solar radiation storms are not likely in the period, however there is a slight chance (5%) for proton fluxes to rise given any significant flaring, predominately from AR2936 positioned in the northwest quadrant.

Radiation Storms Probability (Exceedance)	Level (cm^{-2} sr^{-1} s^{-1})	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC) (%)	Day 2 (00-24 UTC) (%)	Day 3 (00-24 UTC) (%)	Day 4 (00-24 UTC) (%)
Active	≥ S1	No	5	5	5	5
Very Active	≥ S3 *	No	1	1	1	1
* S3 ≥ 10 MeV ≥ 1000 pfu and / or ≥ 50 MeV ≥ 10 pfu. (pfu = $cm^{-2}sr^{-1}s^{-1}$)						

High Energy Electrons Event (≥ 2MeV):

Two high speed streams are due to connect with the Earth, one today and another tomorrow, which are likely to further distort the radiation belts and redistribute electrons away from the belts. As associated geomagnetic activity declines, especially late in the period, there is an increasing chance of the high energy flux exceeding the High (1000 pfu) threshold, with generally High flux values possible through much of day 4 (8th).
Electron fluence is expected to remain below the Active (1e8 integrated pfu) threshold today, then increasing to breach the Active threshold either tomorrow or more likely day 3 (7th). Therefore the Met Office REFM model is considered to be giving good guidance.

GEO Electron Environment Probability (Exceedance)	Level (cm^{-2} sr^{-1} day^{-1})	Past 24 Hours (Yes/No)	Day 1 (00-24 UTC) (%)	Day 2 (00-24 UTC) (%)	Day 3 (00-24 UTC) (%)	Day 4 (00-24 UTC) (%)
Active	≥ 2 MeV ≥ $1x10^8$	No	30	50	60	80
Very Active	≥ 2 MeV ≥ $1x10^9$	No	1	1	1	5

Figure 3: Met Office REFM model.



Issued by Met Office Space Weather Advisor, Tel: +44 (0) 330 135 4254 Email: moswoc@metoffice.gov.uk

© Crown Copyright 2022. All Rights Reserved.